PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference					
29725P WO	FOR FURTHER	ACTION	See Form PCT/IPEA/416		
International application No. PCT/EP2004/003238	International filing da 26.03.2004		Priority date (day/month/year) 28.03.2003		
International Patent Classification (IPC) or national classification and IPC A61L27/34, A61L27/56, C07K14/475					
Applicant BIOPHARM GESELLSCHAFT ZUF	R BIOTECHNOLOG	GISCHEN			
This report is the international pre Authority under Article 35 and trar	liminary examination	report, established by thi ant according to Article 3	s International Preliminary Examining 6.		
This REPORT consists of a total of					
3. This report is also accompanied b					
a. \boxtimes sent to the applicant and to			as follows:		
Sheets of the description	on, claims and/or drav	wings which have been a	mended and are the basis of this report see Rule 70.16 and Section 607 of the		
Supplemental Box.	in the international ap	phication as filed, as indi	iders contain an amendment that goes cated in item 4 of Box No. I and the		
b. ☐ <i>(sent to the International Bu</i> sequence listing and/or table Box Relating to Sequence to the sequence t			r of electronic carrier(s)) , containing a only, as indicated in the Supplemental nstructions).		
4. This report contains indications rela	ating to the following	items:			
Box No. I Basis of the opini	ion				
☐ Box No. II Priority					
☐ Box No. III Non-establishme	nt of opinion with rea	ard to novelty inventive s	step and industrial applicability		
☐ Box No. IV Lack of unity of in	nvention	and to me tony, intomited o	nep and industrial applicability		
applicability, citat	nent under Article 35(ions and explanation	with regard to novelty, s supporting such statem	inventive step or industrial ent		
Box No. VI Certain documen	ts cited				
	the international app				
☐ Box No. VIII Certain observation	ons on the internatior	nal application			
Date of submission of the demand		Date of completion of this	report		
27.01.2005		17.06.2005			
Name and mailing address of the international preliminary examining authority:		Authorized Officer			
European Patent Office - P.B. 58 NL-2280 HV Rijswijk - Pays Bas Tel. +31 70 340 - 2040 Tx: 31 65 Fax: +31 70 340 - 3016		Heck, G Telephone No. +31 70 340)-3288		
		L.			

JC09 Rec'd PCT/PTO 28 SEP 2005

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/EP2004/003238

_	Box No. I Basis of the report	rt
 With regard to the language, this report is based on the international application in the language in white filed, unless otherwise indicated under this item. 		
	which is the language of a	nslations from the original language into the following language , translation furnished for the purposes of:
	publication of the internal	der Rules 12.3 and 23.1(b)) ational application (under Rule 12.4) v examination (under Rules 55.2 and/or 55.3)
2.	. With regard to the elements* or have been furnished to the receive report as "originally filed" and a	f the international application, this report is based on (replacement sheets which eiving Office in response to an invitation under Article 14 are referred to in this re not annexed to this report):
	Description, Pages	
	1-34	as originally filed
	Sequence listings part of the des	cription, Pages
	1-10	as originally filed
	Claims, Numbers	
	1-27	received on 27.01.2005 with letter of 26.01.2005
	Drawings, Sheets	
	1/11-11/11	as originally filed
	☐ a sequence listing and/or ar	ny related table(s) - see Supplemental Box Relating to Sequence Listing
3.	☐ The amendments have result the description, pages ☐ the claims, Nos. ☐ the drawings, sheets/figs ☐ the sequence listing (specially any table(s) related to set	ecify):
1.	☐ This report has been establi had not been made, since they h Supplemental Box (Rule 70.2(c))☐ the description, pages☐ the claims, Nos.	shed as if (some of) the amendments annexed to this report and listed below lave been considered to go beyond the disclosure as filed, as indicated in the
	☐ the drawings, sheets/figs☐ the sequence listing (spe☐ any table(s) related to se	
	* If item 4 applies, so	me or all of these sheets may be marked "suppressed "

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/EP2004/003238

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims

1-27

No: Claims

Inventive step (IS)

Yes: Claims

1-27

No: Claims

Industrial applicability (IA)

Yes: Claims

No:

1-27 Claims

2. Citations and explanations (Rule 70.7):

see separate sheet

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/EP2004/003238

Suppl	emental Box relating to Sequence Listing			
Continua	ition of Box I, item 2:			
1. With reneces	egard to any nucleotide and/or amino acid sequence disclosed in the international application and sary to the claimed invention, this report has been established on the basis of:			
a. type of material:				
⊠	a sequence listing			
	table(s) related to the sequence listing			
b. form	nat of material:			
	in written format			
	in computer readable form			
c. time	of filing/furnishing:			
\boxtimes	contained in the international application as filed			
	filed together with the international application in computer readable form			
	furnished subsequently to this Authority for the purposes of search and/or examination			
	received by this Authority as an amendment on			
the ad	addition, in the case that more than one version or copy of a sequence listing and/or table(s) relating ereto has been filed or furnished, the required statements that the information in the subsequent or ditional copies is identical to that in the application as filed or does not go beyond the application as filed, appropriate, were furnished.			

3. Additional observations, if necessary:

Re Item V

Reasoned statement with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

The following document (D1) cited in the International search report is referred to in this communication; the numbering will be adhered to in the rest of the procedure:

D1: US 6,118,043 A (Nies B. et al.)

Novelty

Document D1 discloses (cf. claims 1, 7-13, 19) a bone replacement material comprising a porous matrix and fibroblast growth factor (FGF) adsorbed thereon. The material is prepared by impregnating the porous matrix with a solution of FGF followed by drying. The subject-matter of claims 1-27 of the present application differs from the disclosure of D1 by the choice of pH and ionic concentration of the morphogenetic protein solution and is therefore novel according to Article 33(2) PCT.

Inventive Step

Document D1, which is considered to represent the most relevant prior art, discloses (claims 1, 7-13, 19) the impregnation of porous implants with a solution of 50 μ g FGF to provide a bone replacement material having a biological activity as close as possible to that of endogenous bone transplantation.

In view of D1, the objective technical problem underlying the present application can be formulated as to provide osteoinductive matrix materials for use in the pharmaceutical field which are homogeneously coated with morphogenetic proteins.

The solution proposed in the present application is a porous osteoinductive material comprising a matrix material having morphogenetic protein(s) adsorbed on inner or outer surfaces thereon, which can be obtained by selecting a pH and an ionic concentration of the solution that avoid precipitation of the morphogenetic proteins.

Since the relation between the pH and low ionic concentration of the morphogenetic protein solution on the one hand and the solubility of the morphogenetic proteins on the

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/EP2004/003238

other hand is unexpected and allows to obtain a more homogeneous coating of the matrix material, the subject-matter of claims 1-25 is based on an inventive activity according to Article 33(3) PCT.

20



JC09 Rec'd PCT/PTO 28 SEP 2005.

Claims

- Osteoinductive material comprising a matrix material and, adsorbed on inner and/or outer surfaces of this matrix material, morphogenetic protein(s), wherein said osteoinductive material is obtainable by contacting the matrix material and the morphogenetic protein(s) under suitable conditions to keep the protein stable and dissolved in a solution, thereby allowing that the matrix material becomes evenly coated with the morphogenetic protein(s), wherein said suitable conditions are selected from
 - (a) using a buffer or solvent which is capable of maintaining a pH below 4.5 or above 10.3 during the coating procedure, or
 - (b) using a buffer or solvent which has an ionic concentration of 100 mmol/l or less and is capable of maintaining a pH below 5.2 or above 9.5 during the coating procedure.
 - 2. Osteoinductive material according to claim 1, wherein the morphogenetic protein contains at least a 7 cysteine region characteristic for TGF-ß superfamily proteins.
- 25 3. Osteoinductive material according to claim 1 or 2, wherein the morphogenetic protein is a mature protein or a biologically active part or variant thereof.
- 4. Osteoinductive material according to any one of claims 1 to 3, wherein the morphogenetic protein belongs to the TGF-ß-, BMP-, GDF-, activinor GDNF-family.

10

15

20

25



- 5. Osteoinductive material according to any one of claims 1 to 4, wherein the morphogenetic protein is a dimeric protein.
- 6. Osteoinductive material according to any one of claims 1 to 5, wherein the morphogenetic protein is BMP2, BMP7, BMP12, BMP13, MP52 (GDF5) or a biologically active part or variant thereof.
- 7. Osteoinductive material according to any one of claims 1 to 4, wherein the morphogenetic protein is a protein lacking the cysteine residue which is responsible for dimer formation in the respective naturally occurring proteins.
- Osteoinductive material according to any one of claims 1 to 4 and 7, wherein the morphogenetic protein contains a consensus sequence according to

Formula I: C(Y)₂₅₋₂₉CYYYC(Y)₂₅₋₃₅XC(Y)₂₇₋₃₄CYC

or

Formula II: C(Y)₂₈CYYYC(Y)₃₀₋₃₂XC(Y)₃₁CYC,

wherein C denotes cysteine, Y denotes any amino acid and X denotes any amino acid except cysteine.

9. Osteoinductive material according to any one of claims 1 to 4, 7 and 8, wherein the protein is a monomeric form of MP52.

- Osteoinductive material according to claim 9, wherein the protein is
 MP52-Ala83 or a biologically active part or variant thereof.
- Osteoinductive material according to any one of the preceding claims,
 wherein the matrix material is a biocompatible material.
- 12. Osteoinductive material according to any one of the preceding claims, wherein the matrix material is a natural material, a modified natural material or a synthetic material.

10

15

20

30



- 13. Osteoinductive material according to any one of the preceding claims, wherein the matrix material is a porous material.
- 14. Osteoinductive material according to any one of the preceding claims, wherein the matrix material comprises at least one of the following substances: a) collagen, b) Ca(OH)₂, c) polylactide or polylactide derivatives, d) hyaluronic acid, e) polyoxyethylene polyoxypropylene copolymers f) calcium phosphate, g) a combination of hydroxy apatite and collagen h) a combination of polyglycolic acid and polylactic acid or polylactid derivatives.
- 15. Osteoinductive material according to any one of the preceding claims, wherein the buffer or solvent used for coating has an ionic concentration of 80 mmol/l or less, 40 mmol/l or less, 20 mmol/l or less, 10 mmol/l or less, or 5 mmol/l.
- 16. Osteoinductive material according to any one of the preceding claims, wherein the buffer or solvent used for coating further comprises saccharides.
- 17. Osteoinductive material according to any one of the preceding claims, wherein the buffer or solvent used for coating further comprises alcohols or other organic solvents.
- 25 18. Osteoinductive material according to anyone of the preceding claims, wherein the buffer or solvent used for coating further comprises soaps or syndets.
 - 19. Osteoinductive material according to any of the preceding claims, wherein the morphogenetic protein(s) is covalently or noncovalently linked to polyethylene glycols.

10

15

20

25

30



- Osteoinductive material according to any one of the preceding claims, wherein the buffer or solvent used for acidic coating contains HCI or sodium acetate.
- 21. Osteoinductive material according to any one of the preceding claims, wherein the buffer or solvent used for basic coating contains NaOH or sodium carbonate/sodium bicarbonate.
- 22. Process for the production of an osteoinductive material according to claims 1 to 20, said process comprising contacting a matrix material with a solution of at least one morphogenetic protein characterized in that substances contained in said solution are selected to enable adjustment of the pH of the solution to below 5.2 even when in contact with the matrix material.
 - 23. Process for the production of an osteoinductive material according to claims 1 to 19 and 21, said process comprising contacting a matrix material with a solution of a morphogenetic protein characterized in that substances contained in said solution are selected to enable adjustment of the pH of the solution to above 9.5 even when in contact with the matrix material.
- 24. Use of an osteoinductive material according to claims 1 to 21 for the preparation of a medicament for use in indications in which monomeric or dimeric morphogenetic proteins have been proven to be useful.
- 25. Use according to claim 24, wherein the osteoinductive material is used for preventing, alleviating or treating symptoms or conditions of diseases or abnormal conditions of cartilage, bone, connective tissue including tendon and/or ligament, periodontal or dental tissue, neural tissue, tissue of the sensory system, liver, pancreas, cardiac, blood vessels, renal, uterine and thyroid tissue, skin, mucous membranes, endothelium, epithelium.



- 26. Use according to claim 24 or 25, for promotion or induction of nerve growth, tissue repair and regeneration, angiogenesis, wound healing including ulcers, burns, injuries or skin grafts, induction of proliferation of progenitor cells or bone marrow cells, for regeneration of functional attachment between connective tissue and bone, cartilage repair, treatment of osteoporosis or osteoarthritis, to correct non-union fractures, acquired or congenital craniofacial, skeletal or dental abnormalities, for non-skeletal tissue replacement in plastic or reconstructive surgery.
- 27. Use according to any one of claims 24-26, wherein the disease or abnormal condition is caused by ischemic or traumatic injury, degenerative disease, cardiomyopathies, atherothrombotic or cardioembolic strokes, ulceration, cirrhosis, emphysema, cell senescence or quiescence.

10

15